Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com

Material Safety Data Sheet DOLOMITE Rev. Date:4/30/2008

SECTION 1: PRODU	CT AND COMPANY IDENTIFICATION	N	
Product Name:	Dolomite		
Synonym/s:	Dolomitic Limestone, Calcium Magnesium Carbonate		
Manufacturer:	US Operations: Chemical Lime Co. 3700 Hulen St. Fort Worth, TX 76107 817-732-8164	Canadian Operations: Chemical Lime Co. of Canada Inc. 20302-102B Ave. Langley, BC V1M 3H1 604-888-4333	
Emergency Phone:	Chemtrec 1-800-424-93	300	
Chemical Name: Chemical Family: Chemical Formula:	Calcium Magnesium Carbonate Alkaline Earth Carbonate CaCO3 MgCO3	WHMIS Classification: D2A	
Product Use/s:	Steel, pH adjustment, FGT, Constr Mineral filler	ruction, Agriculture, Aggregate,	
Prepared By:	Chemical Lime Co. R&D/Technical Services, KSA		


Ingredient	CAS	OSHA PEL, TWA 8/40h (mg/m3)	ACGIH TLV, TWA 8/40h (mg/m3)	NIOSH REL, TWA 8/40h (mg/m3)	NIOSH IDLH (mg/m3)	Conc (%)
Calcium Magnesium Carbonate, CaCO ₃ ·MgCO ₃ (Dolomite)	16389-88-1	15 (total dust) 5 (respirable)	10	N.A.	N.A.	> 98
Crystalline Silica, SiO ₂ (Quartz)	14808-60-7	10/(SiO2% + 2) (respirable)	0.025 (respirable)	0.05 (respirable)	50	< 2

Laguna Clay Company

www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

1 of 6

Visit www.chemicallime.com for latest MSDS versions





Material Safety Data Sheet DOLOMITERev. Date:4/30/2008

Emergency Overview:	Dolomite is an odorless white, grayish-white, red to pink material that ranges from pebble to a granular powder. Contact can cause irritation to eyes, skin, respiratory system, and gastrointestinal tract. Dolomite reacts with acid to form CO2.
Potential Health Effects	
Eyes:	Contact can cause irritation of eyes.
Skin:	Contact can cause mild irritation of skin.
Ingestion:	This product can cause mild irritation of gastrointestinal tract if swallowed.
Inhalation:	This product can cause mild irritation of the respiratory system. Long-term exposure may cause permanent damage. Dolomite is not listed by MSHA, OSHA, or IARC as a carcinogen. However, this product may contain trace amounts of crystalline silica in the form of quartz or crystobalite, which has been classified by IARC as a Group I carcinogen to humans when inhaled. Inhalation of silica can also cause a chronic lung disorder, silicosis.
Medical	
Conditions Aggravated by Exposure:	Contact may aggravate disorders of the eyes, skin, gastrointestinal tract, and respiratory system.
Potential	
Environmental Effects:	This material is alkaline and if released into water or moist soil will cause an increase in pH


Eyes:	Immediately flush eyes with generous amounts of water or eye wash solution if water is unavailable. Pull back eyelid while flushing to ensure that all dust has been washed out. Seek medical attention promptly if the initial flushing of the eyes does not remove the irritant. Do not rub eyes.
Skin:	Brush off or remove as much dry dust as possible. Wash exposed area with large amounts of water. If irritation persists, seek medical attention promptly.
Inhalation:	Move victim to fresh air. Seek medical attention. If breathing has stopped, give artificial respiration.
Ingestion:	Do not induce vomiting. Seek medical attention immediately. Never give anything by mouth unless instructed to do so by medical personnel.

Laguna Clay Company

www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

2 of 6

Visit www.chemicallima.com for latest MSDS versions





k

Material Safety Data Sheet DOLOMITE Rev. Date:4/30/2008

SECTION 5: FIRE FIGHTING MEASURES

Fire Hazards:	Delemite is not combustible or flammable. This product is not considered to be an explosion hazard, although reaction with incompatible materials, such as acids, may
	rupture containers.
Hazardous	
Combustion Products:	None
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Fire	
Fighting Instructions:	Keep personnel away from and upwind of fire. Avoid skin contact or inhalation of dust. Wear full fire-fighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill / Leak Procedures:	Use proper protective equipment. Keep away from acids and other incompatible material.
Small Spills:	Use dry methods to collect spilled materials. Avoid generating dust. Do not clean up with compressed air. Store collected materials in dry, sealed plastic or non-aluminum metal containers. Residue on surfaces may be water washed.
Large Spills:	Use dry methods to collect spilled materials. Evacuate area downwind of clean-up operations to minimize dust exposure. Store spilled materials in dry, sealed plastic or non-aluminum metal containers.
Containment:	Minimize dust generation and prevent bulk release to sewers or waterways.
Clean-up:	Residual amounts of material can be flushed with large amounts of water. Equipment can be washed with either a mild vinegar and water solution, or detergent and water.

SECTION 7: HANDLING AND STORAGE


Handling:	Keep in tightly closed plastic or non-aluminum metal containers. Protect containers from physical damage. Avoid direct skin contact with the material.
Storage:	Store in a cool, dry, and well-ventilated location. Do not store near acids or other Incompatible materials. Keep away from moisture. Do not store or ship in aluminum containers.

Laguna Clay Company

www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

3 of 6

www.chemicallime.com for latest MSDS versions



U



Material Safety Data Sheet DOLOMITE Rev. Date:4/30/2008

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION


the second s	
Engineering Controls:	Provide ventilation adequate to maintain PELs.
Respiratory Protection:	Use NIOSH/MSHA approved respirators if airborne concentration exceeds PELs.
Skin Protection:	Use appropriate gloves and footwear to prevent skin contact and the potential for irritation. Clothing should fully cover arms and legs.
Eye Protection:	Use safety glasses with side shields or safety goggles. Contact lenses should not be worn when working with lime products.
Other:	Eye wash fountain/stations and emergency showers should be available.

Appearance:	Odor:	Physical State:
White or grayish-white lumps or powder	Odorless	Solid
Boiling Point (°C/°F):	Melting Point (°C/°F):	Specific Gravity
N.A.	N.A.	2.75 - 2.90
Vapor Pressure (mm Hg):	Vapor Density:	Evaporation Rate:
N.A.	N.A.	N.A.
Solubility in Water	pH (25°C/77°F):	TV -
Not soluble in water	8 - 9	

Stability:	Chemically stable, but reacts vigorously with acids to form CO2. Ignites on contact with Fluorine.		
Incompatibility/			
Conditions to Avoid:	Dolomite should not be mixed for vigorous reaction and rele	l or stored with the following materials, due to the pase of heat:	potential
	Fluorine	Ammonium salts	
	Aluminum	Hydrogen	
	Magnesium	Acids	
Hazardous Decomposition Products:	Dolomite decomposes at 730	°C / 1346°F to produce calcium + magnesium oxid	e and CO ₂
Hazardous	Control and a story office as a co		
Polymerization:	None		

4 of 6

Visit www.chemicallime.com for latest MSDS versions



Laguna Clay Company www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com



Material Safety Data Sheet DOLOMITE Rev. Date:4/30/2008

SECTION 11: TOXICOLOGICAL INFORMATION

An LD50 of 6450mg/kg (Rat, oral) has been identified for this product. Dolomite is not listed by MSHA, OSHA, or IARC as a carcinegen, but this product may contain trace amounts of crystalline silica, which has been classified by IARC as carcinogenic to humans when inhaled in the form of guartz or crystobalite.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: Because of the elevated pH of this product, it would be expected to produce some ecotoxicity upon exposure to aquatic organisms and aquatic systems in high concentrations.

Environmental Fate: This material shows no bioaccumulation effect or food chain concentration toxicity.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable federal, state, and local environmental regulations. If this product as supplied, and unmixed, becomes a waste, it will not meet the criteria of a hazardous waste as defined under the U.S. Resource Conservation and Recovery Act (RCRA).

SECTION 14: TRANSPORTATION INFORMATION


Dolomite is not classified as a hazardous material by US DOT and is not regulated by the Transportation of Dangerous Goods (TDG) when shipped by any mode of transport.

Laguna Clay Company

www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

5 of 6

Visit www.chemicallime.com for latest MSDS versions





Material Safety Data Sheet DOLOMITE Rev. Date:4/30/2008

SECTION 15: REGULATORY INFORMATION

RCRA Haza CERCLA Ha CWA, Se CERCLA Re SARA 311/3 SARA Toxic SARA EHS Planning	rdous Waste Classif azardous Substance ic. 311(b)(4); CWA, 9 eportable Quantity (R 112 Codes: not listed Chemical (40 CFR 9 (Extremely Hazardou Quantity (TPQ): not	ication (40 CFR 2 (40 CFR 302.4) <u>1</u> Sec. 307(a), CAA (0), <u>not listed</u> 372.65): <u>not listed</u> us Substance) (40 <u>listed</u>	261): <u>not classified</u> unlisted specific per RCRA, Sec. 3001; , Sec. 112 d 0 CFR 355): <u>not listed</u> , Threshold
Air Contaminant (29 CRF 1910.1000, Table Z-1, Z-1-A): 5mg/M ³ TWA-8 MSHA: <u>not listed</u> OSHA Specifically Regulated Substance (29 CFR 1910): <u>not listed</u>			
Consult state and local authorities for guidance. Components found in this product may contain trace amounts of inherent naturally occurring elements (such as, but not limited to arsenic and cadmium) that may be regulated.			
		terials Causing C	Other Toxic Effects
Health: 1 Health: 1	Flammability: 0 Flammability: 0	Reactivity: 0 Reactivity: 0	Specific Hazard: ALK
	RCRA Haza CERCLA Ha CWA, Se CERCLA Re SARA 311/3 SARA Toxic SARA Toxic SARA EHS Planning All chemical Air Contamii MSHA: not I OSHA Spec Consult stat contain trace arsenic and WHMIS Clai Canada ND	RCRA Hazardous Waste Classifi CERCLA Hazardous Substance CWA, Sec. 311(b)(4); CWA, S CERCLA Reportable Quantity (R SARA 311/312 Codes: not listed SARA Toxic Chemical (40 CFR 3 SARA EHS (Extremely Hazardou Planning Quantity (TPQ): not All chemical ingredients are listed Air Contaminant (29 CRF 1910.1 MSHA: not listed OSHA Specifically Regulated Su Consult state and local authorities contain trace amounts of inherer arsenic and cadmium) that may 1 WHMIS Classification: "D2A" Ma Canada NDSL: Listed	MSHA: not listed OSHA Specifically Regulated Substance (29 CFF Consult state and local authorities for guidance. C contain trace amounts of inherent naturally occur arsenic and cadmium) that may be regulated. WHMIS Classification: "D2A" Materials Causing C Canada NDSL: Listed

SECTION 16: OTHER INFORMATION

Prepared By:

Chemical Lime Company, R&D/Technical Services, KSA

Chemical Lime Company provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person. Individuals receiving this information must consult their own technical and legal advisors and/ or exercise their own judgment in determining its appropriateness for a particular purpose. Chemical Line Company makes no representations or warranties, either express or implied, including without limitation and warranties of merchantability or fitness for a particular purpose with respect to the information set forth herein or the product(s) to which the information refers. Accordingly, Chemical Lime Company will not be responsible or liable for any claims, losses or damages resulting from the use of or reliance upon or failure to use this information.

Visit

www.chemicallime.com

for latest MSDS versions

6 of 6

Laguna Clay Company www.Lagunaclay.com 1-800-4Laguna info@Lagunaclay.com

Chemical Lime