Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP DAZZLE
Material number	:	0000000000022000
Manufacturer or supplier's details		
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone nu	mbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

# SECTION 2. HAZARDS IDENTIFICATION

#### Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	milky
Odour	pleasant

<b>GHS</b> Class	ssification
------------------	-------------

Gases under pressure	: Liquefied gas
GHS label elements	
Hazard pictograms	: Gas cy linder Exclamation mark
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated. H319 Causes serious eye irritation.
Precautionary statements	<ul> <li>Prevention:</li> <li>P264 Wash skin thoroughly after handling.</li> <li>P280 Wear eye protection/ face protection.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P211 Do not spray on an open flame or other ignition source.</li> <li>P251 Pressurized container: Do not pierce or burn, even after</li> </ul>

Version 3.1

#### Revision Date 01/26/2021

use.

Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. Storage: P410 + P403 Protect from sunlight. Store in a well-ventilated place. P412 Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with local regulation.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]
ethanol	64-17-5	>= 5 - < 10
butane	106-97-8	>= 3 - < 5
propane	74-98-6	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

### SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	<ul> <li>If unconscious, place in recovery position and seek medical advice.</li> <li>If symptoms persist, call a physician.</li> </ul>
In case of skin contact	<ul> <li>If skin irritation persists, call a physician.</li> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>If on clothes, remove clothes.</li> </ul>
In case of eye contact	<ul> <li>Remove contact lenses.</li> <li>Protect unharmed eye.</li> <li>Keep eye wide open while rinsing.</li> <li>If eye irritation persists, consult a specialist.</li> <li>If in eyes, rinse with water for 15 minutes.</li> </ul>
If swallowed	<ul> <li>Keep respiratory tract clear.</li> <li>Never give anything by mouth to an unconscious person.</li> <li>If symptoms persist, call a physician.</li> </ul>

Version 3.1	Revision Date 01/26/2021	Print Date 11/16/2021
	DO NOT induce vomiting unless dir physician or poison control center.	ected to do so by a
Most important symptoms and effects, both acute and delayed	<ul> <li>Effects are immediate and delayed. Symptoms may include irritation, rea Effects are dependent on exposure contact time).</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all</li> </ul>	(dose, concentration,
Notes to physician	: Treat symptomatically. Symptoms	may be delayed.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media		
Unsuitable extinguishing media	High volun	ne water jet
Specific hazards during firefighting	Do not allo courses.	ow run-off from fire fighting to enter drains or water
Hazardous combustion products Specific extinguishing methods	Carbon m Smoke	oxide (CO2) onoxide ow run-off from fire fighting to enter drains or water
Further information	Use exting circumstar Collect co	procedure for chemical fires. guishing measures that are appropriate to local nces and the surrounding environment. ntaminated fire extinguishing water separately. This be discharged into drains.
Special protective equipment for firefighters	Wear self- necessary	contained breathing apparatus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	<ul> <li>Use personal protective equipment.</li></ul>
protective equipment and	Ensure adequate ventilation. <li>Evacuate personnel to safe areas.</li> <li>Remove all sources of ignition.</li> <li>Beware of vapours accumulating to form explosive</li>
emergency procedures	concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. If the product contaminates rivers and lakes or drains, inform respective authorities.

Version 3.1	Revision Date 01/26/2021	Print Date 11/16/2021
Methods and materials for containment and cleaning up	: Soak up with inert absorbent mate acid binder, universal binder, sawc Sweep up or vacuum up spillage a container for disposal.	lust).

# SECTION 7. HANDLING AND STORAGE

Advice on safe handling :	<ul> <li>Avoid contact with skin and eyes.</li> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Always replace cap after use.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Do not breathe vapours or spray mist.</li> <li>Avoid exposure - obtain special instructions before use.</li> <li>Take precautionary measures against static discharges.</li> <li>Provide sufficient air exchange and/or exhaust in work rooms.</li> </ul>
Conditions for safe storage :	BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Observe label precautions. Keep in a dry, cool and well-ventilated place. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid :	Oxidizing agents Do not store near acids.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm	OSHA P0

Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

			1,900 mg/m3	
		PEL	800 ppm 1,900 mg/m3	CAL PEL
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,800 mg/m3	OSHA P0
		PEL	1,000 ppm 1,800 mg/m3	CAL PEL

Engineering measures	:	effective ventilation	in all processing areas

# Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection		
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Safety glasses
Skin and body protection	:	Impervious clothing
		Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink.
		When using do not smoke.
		Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol con	taining a liquefied gas
Colour	: milky	
Odour	pleasant	
Odour Threshold	No data ava	ilable
рН	10.06 - 11.0	6
Melting point/freezing point	Not applicat	ble
Boiling point	not determin	ned
Flash point	Not applicat	ble
Evaporation rate	No data ava	ilable

Version 3.1		Revision Date 01/26/2021	Print Date 11/16/2021
Flammability (solid, gas, liquid)	:	The product is not flammable. Not classified as supporting combustion transport regulations.	according to the
Upper explosion limit	:	No data available	
Lower explosion limit	:	No data available	
Vapour pressure	:	not determined	
Density	:	0.98 g/cm3	
Solubility(ies)			
Water solubility	:	soluble in hot water, soluble in cold water	er
Solubility in other solvents	:	soluble	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	not determined	
Thermal decomposition	:	No data available	
Viscosity			
Viscosity, kinematic	:	No data available	
Heat of combustion	:	< 20 kJ/g	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Stable
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Extremes of temperature and direct sunlight. Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents Strong acids
Hazardous decomposition products	:	Carbon oxides

# SECTION 11. TOXICOLOGICAL INFORMATION

**Potential Health Effects** 

ersion 3.1	Revision Date 01/26/2021	Print Date 11/16/202
Aggravated Medical Condition	: None known.	
Symptoms of Overexposure	<ul> <li>Effects are immediate and delayed Symptoms may include irritation, re Effects are dependent on exposure contact time).</li> <li>Causes serious eye irritation.</li> <li>Review section 2 of SDS to see all Treat symptomatically. Symptoms</li> </ul>	edness, pain, and rash. e (dose, concentration, l potential hazards.
Carcinogenicity:		
IARC	No component of this product present equal to 0.1% is identified as probable human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with un humans ethanol	known relevance to 64-17-
OSHA	No component of this product present equal to 0.1% is on OSHA's list of reg	t at levels greater than or
NTP	No component of this product present equal to 0.1% is identified as a known by NTP.	t at levels greater than or
cute toxicity		
Components:		
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg	
Acute inhalation toxicity	: LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
kin corrosion/irritation		

#### Product:

Remarks: May cause skin irritation and/or dermatitis.

## Serious eye damage/eye irritation

# Product:

Remarks: Severe eye irritation

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

No data available

Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

#### **Reproductive toxicity**

No data available

### STOT - single exposure

No data available

## STOT - repeated exposure

No data available

### Aspiration toxicity

No data available

#### Further information

### Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No data available

#### Persistence and degradability

#### No data available Bioaccumulative potential

Product:	
Partition coefficient: n- octanol/water <u>Components:</u> ethanol :	: Remarks: No data available
Partition coefficient: n- octanol/water butane :	: Remarks: No data available
Partition coefficient: n- octanol/water	: Pow: 2.89
Mobility in soil	
No data available	
Other adverse effects	
No data available Product:	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S.

Version 3.1	Revision Date 01/26/2021	Print Date 11/16/2021
	Clean Air Act Section 602 (40 ( + B).	CFR 82, Subpt. A, App.A
Additional ecological information	: No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

## SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

## SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

No substances are subject to TSCA 12(b) export notification requirements.

## EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium nitrite	7632-00-0	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Gases under pressure
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop. 65	
<b>^</b>	WARNING: This product can expose you to chemicals



WARNING: This product can expose you to chemicals including 2,2'-iminodiethanol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

#### **SECTION 16. OTHER INFORMATION**

Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

## **Further information**

## NFPA:

HEALTH	2
FLAMMABILITY	2
INSTABILITY	0
SPECIAL HAZARD.	

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

#### HMIS III:

HEALTH	2
FLAMMABILITY	2
PHYSICAL HAZARD	3

0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic



Version 3.1

Revision Date 01/26/2021

Print Date 11/16/2021

Version:	3.1
Revision Date:	01/26/2021
Print Date:	11/16/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.