

# **RECORD** SPEED FIXER

## **MATERIAL SAFETY DATA SHEET**

#### PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT IDENTIFICATION

1.

Product Name . . . . . . . . . . Record Speed Fixer

 Catalog Number
 N/A

 Chemical Name
 Mixture

 Common Name
 N/A

Product Use . . . . . . Fixes photographic film and paper.

#### **MANUFACTURER**

Sprint Systems of Photography, Inc. 1057 Chopmist Hill Road Scituate, RI 02857 800 356-5073

#### **EMERGENCY TELEPHONE NUMBER**

ChemTel (1-800-255-3924)

#### COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS NUMBER	EXPOSURE CONTROLS	
		OSHA PEL	ACGIH TLV
Ammonium thiosulfate	7783-18-8	N/E	N/E
Boric acid	10043-35-3	N/E	N/E
Acetic acid	64-19-7	10 ppm	10 ppm (TWA) - 15 ppm (STEL)
Sodium sulfite	7757-83-7	N/E	N/E
Sodium metabisulfite	7681-57-4	N/E	$5~{ m mg/m^3}$
Sodium metaborate	7775-19-1	N/E	N/E
Water	7732-18-5	N/E	N/E

See Section 15 for OSHA Regulatory Status.

### HAZARDS IDENTIFICATION

### **EMERGENCY OVERVIEW**

Light yellowish liquid with a slight banana odor.

Warning! Contact may cause sensitization. Breathing acetic acid vapors may cause asthma. May cause life

threatening asthma. May cause irritation to the eyes, skin,

and respiratory tract.

In case of fire, extinguishing media suitable for the

material that is burning.

#### **POTENTIAL HEALTH EFFECTS**

#### PRIMARY ROUTE(S) OF ENTRY

Inhalation (breathing), eye and skin contact.

### SYMPTOMS OF EXPOSURE

**Skin Contact**: Prolonged or repeated contact may cause irritation, redness, cracking, and dermatitis. Contact may cause sensitization.

**Inhalation**: Vapors may irritate the respiratory tract. Breathing acetic acid may cause asthma.

**Eye Contact**: Contact of product with eyes may irritate and burn eyes.

**Ingestion**: May cause digestive tract irritation. May cause life threatening asthma.

# MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE

Persons sensitized to acetic acid, sodium metabisulfite or sodium sulfites are at risk.

Record Speed Fixer Page 1 of 4

#### REPORTED AS CARCINOGEN OR POTENTIAL CARCINOGEN

- ✓ Not Applicable
- OSHA Suspect Carcinogen
- \_ National Toxicology Program (NTP)
- \_ International Agency for Research on Cancer (IARC)

# 4. FIRST AID MEASURES

**Skin contact**: Wash affected areas with plenty of water, and soap if available, several minutes. Seek medical attention if irritation develops and persists.

**Inhalation**: Remove from area to fresh air. Seek medical attention if respiratory irritation develops or if breathing becomes difficult. If victim is having trouble breathing, transport to medical care and, if available, give supplemental oxygen.

**Eye contact**: Rinse eyes with water. Remove any contact lenses, and continue flushing with plenty of water for several

minutes. Seek medical attention if irritation develops and persists.

**Ingestion**: Give 3-4 glasses of water, but DO NOT induce vomiting. If vomiting occurs, give fluids again. Get medical attention to determine whether vomiting or evacuation of stomach is necessary. Do not give anything by mouth to an unconscious or convulsing person.

#### **NOTE TO PHYSICIAN**

No information available.

# 5. FIRE FIGHTING MEASURES

Flash Point and Method . . . . . > 200 °F (PMCC)

#### **GENERAL HAZARD**

Fire or excessive heat may produce hazardous decomposition products.

#### **EXTINGUISHING MEDIA**

In case of fire use extinguishing media suitable for the

material that is burning.

#### **SPECIAL FIREFIGHTING INSTRUCTIONS**

None known.

#### FIREFIGHTING EQUIPMENT

As in any fire, wear NIOSH approved, positive-pressure selfcontained breathing apparatus and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Wear appropriate protective equipment (See Section 8). Avoid getting on clothing or skin or in eyes. Absorb in kitty litter, dry

sand or earth and place into containers for disposal.

# 7. HANDLING AND STORAGE

### **HANDLING**

Wear appropriate protective equipment (See Section 8). Avoid getting on clothing or skin or in eyes. Wash thoroughly after handling.

#### STORAGE

Keep in a tightly closed container, stored in a cool, dry, ventilated area.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **ENGINEERING CONTROLS**

Use engineering controls to reduce air contaminants to permissible exposure level.

#### PERSONAL PROTECTION

**Respirator**: In conditions where high concentrations of vapors are present or exposure limits are exceeded, wear a respirator that has been selected by technically qualified person for the specific work conditions.

Eye Protection: Wear approved safety glasses or goggles.

Gloves: Butyl rubber.

 ${\bf Clothing:}\ {\bf Wear\ long\text{-}sleeved\ clothing.}\ {\bf Use\ rubber\ apron.}$ 

Other: Eye wash; safety shower.

Record Speed Fixer Page 2 of 4

## 9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

# REACTIVITY

Stable under normal use conditions. Will decompose in acid solutions, liberating toxic and irritating sulfur dioxide gas.

#### **INCOMPATIBILITIES**

Acidic materials, strong oxidizers, alkali materials.

#### **HAZARDOUS DECOMPOSITION PRODUCTS**

Ammonia,  $CO_2$ , CO, oxides of nitrogen and sulfur, hydrogen sulfide.

#### **CONDITIONS TO AVOID**

Excessive heat; acids or alkalies.

# 11. TOXICOLOGICAL INFORMATION

The product is not a skin irritant. The primary dermal irritation score was 0.17 following a 4-hour occluded dermal exposure in a modified FHSA/CPSC Design, 16 CFR 1500.

#### For Acetic acid:

Inhalation  $LC_{50}$  (mouse): 5,260 ppm/1 hr

Oral  $\mathrm{LD}_{50}$  (rat): 3,310 mg/kg Dermal  $\mathrm{LD}_{50}$  (rabbit): 1,060  $\mu\mathrm{L/kg}$ 

#### For Ammonium thiosulfate:

Oral  $\mathrm{LD}_{50}$  (rat): 2,890 mg/kg Oral  $\mathrm{LD}_{50}$  (mouse): 2,100 mg/kg For Sodium sulfite:

Oral LD<sub>50</sub> (mouse): 820 mg/kg

For Sodium metaborate:

Oral LD<sub>50</sub> (rat): 2,330 mg/kg

For Boric acid:

Oral  $\mathrm{LD_{50}}$  (rat): 2,660 mg/kg Oral  $\mathrm{LD_{50}}$  (mouse): 3,450 mg/kg

A human study of an occupationally exposed borate worker population showed no adverse reproductive effects. Animal studies of similar inorganic borates demonstrated reproductive effects in males.

# 12. ECOLOGICAL INFORMATION

#### **ECOTOXICOLOGICAL INFORMATION**

### For Acetic acid:

96 hr  $LC_{50}$  (fathead minnow): 88 mg/L. Cond: Static,

18-22 °C.;

96 hr  $LC_{50}$  (bluegill sunfish): 75 mg/L.

 $24 \text{ hr LC}_{50}$  (goldfish): 423 mg/L.;

 $24\text{-}48\ hr\ EC_{50}$  (water flea):  $32\text{-}47\ mg/L.;$ 

5, 15, 25 min) EC<sub>50</sub> (Photobacterium phosphoreum):

8.86-11 mg/L Microtox test. Cond:  $15\,^{\circ}\mathrm{C}.$ 

### For Boric acid:

 $48\ \mathrm{hr}\ \mathrm{LC}_{50}$  (water flea): 115.0-153.0  $\ \mathrm{mg/L}.$  Cond: Static.

# **ENVIRONMENTAL MOVEMENT AND PARTITIONING**

Not known.

#### **ENVIRONMENTAL FATE**

Not known.

# 13. DISPOSAL CONSIDERATIONS

RCRA Waste Code: ..... Not regulated

Record Speed Fixer Page 3 of 4

#### TRANSPORT INFORMATION 14 DOT Proper Shipping Name ...... Not regulated **REGULATORY INFORMATION** 15. **OSHA HAZARD COMMUNICATION STANDARD (29 CFR SARA EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355)** 1910.1200) N/A ✓ Hazardous \_ Non-Hazardous **SARA HAZARD CATEGORIES (40 CFR 370)** CERCLA/SUPERFUND (40 CFR 117, 302) Acute **✓** Chronic \_ Fire Acetic acid - RQ: 5,000 lbs. \_ Reactive \_ None \_ Pressure STATE REGULATIONS Florida Hazardous Substance List ..... Acetic acid and **SARA TOXIC CHEMICALS (40 CFR 372)** sodium metabisulfite N/A Massachusetts Right To Know List . . . . Acetic acid and, ammonium thiosulfate, and sodium metabisulfite **TSCA CHEMICAL SPECIFIC RULES** Minnesota Hazardous Substance List . . . Acetic acid and sodium metabisulfite N/A New Jersey Right To Know List . . . . . Acetic acid and, ammonium thiosulfate, and sodium metabisulfite **INVENTORY STATUS** Rhode Island Hazardous Substance List..... Acetic acid, Sodium All ingredients of this product are on the TSCA inventory. metabisulfite **OTHER INFORMATION** 16. **NFPA RATING** PREPARATION INFORMATION Health Prepared by: Sprint Systems of Photography, Inc. Date Prepared: June 21, 2000 Fire 1 Reactivity Replaces: November 10, 1999 **ABBREVIATIONS REVISION INFORMATION** Sections 11 and 16 were updated to reflect results of a dermal C - Ceiling limit irritation study. N/A - Not applicable N/D - Not determined N/E - Not established N/K - Not known NAERG - North American Emergency Response Guidebook RQ - Reportable Quantity

Record Speed Fixer Page 4 of 4

TPQ - Threshold Planning Quantity