MATERIAL	SAFE	TY D	ATA	SH	IEE	Т		
SECTION 1 - PROD	UCT AND	COMPAN	Y IDEI	VTIFICA	TION	· · · · · · · · · · · · · · · · · · ·		
PRODUCT NAME: Royal Accent Semi-Gloss	s Red Base							
Product Code Identification Number: 172P350	MSDS Numb	per:						_
GENERAL USE: Protective Coating							Pair	nt
PRODUCT DESCRIPTION: Acrylic latex coating, sligl	ht ammonia odo	r						
MANUFACTURER'S NAME		DATE PRE	PARED:	Decembe	er 15, 200)7	Page 1	of 4
Ace Hardware Paint Division		SUPERSE	-	June 19,		TION	Faye	014
ADDRESS (NUMBER, STREET, P.O. BOX) 21901 South Central Avenue		TELEPHON (800) 311		ER FOR IN	IFORMA	TION		
(CITY, STATE AND ZIP CODE)	COUNTRY EMERGENCY TELEPHONE NUMBER							
Matteson, IL 60443-2800	USA	Infotrac (8	300) 535-	5053 Out	side USA	(352) 32	23-3500	
DISTRIBUTOR'S NAME Ace Hardware Corporation								
ADDRESS (NUMBER, STREET, P.O. BOX)		TELEPHON		ER FOR IN	IFORMA	TION		
2200 Kensington Court		(800) 311-8324						
(CITY, STATE AND ZIP CODE) Oak Brook, IL 60523-2100	COUNTRY USA	EMERGEN		PHONE NI 5053 Out		(252) 22	2 2500	
SECTION 2					side USP	(352) 32	-3-3500	
		%			ACGI	H TWA	SARA	RQ
HAZARDOUS COMPONENTS	CAS #	(by weight)	PPM	MG/M3	PPM	MG/M3	TITLE III	LBS
No hazardous materials present as defined by OSHA	-							
29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302,		· · · · ·						
355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.								
SECTION	3 - HAZARI	DS IDENTI	IFICAT	10N				
EMERGENCY OVERVIEW								<u></u>
Mild liquid, prolonged contact may cause skin & eye in	ritation. Ingestic	on may cause g	astric dist	tress. Haza	ard Symb	ols for this	s product -	Not
classified. Risk Phrases - None								
POTENTIAL HEALTH EFFECTS INHALATION: None expected, however, certain indivi	duals may expe	rience minor na	ausea or h	headaches				
SKIN: None expected, however, prolonged contact ma	ay cause irritatio	on.						
EYES: Contact with eyes may cause irritation.								
INGESTION: May cause gastric distress, vomiting and	d diarrhea.							
, <u>, , , , , , , , , , , , , , , , , , </u>								
		0 NI-			KI.			N1-
CARCINOGENICITY	NTP	? No	IARC MO	ONOGRAPHS?	No	OSHA F	REGULATED?	No

PRODUCT NAME: Royal Accent Semi-Gloss December 15, 2007	Reu Dase	Page 2 of 4
	CTION 4 - FIRST AID MEASURES	I
· · · · · · · · · · · · · · · · · · ·	sh air; if symptoms persist seek medical attention.	
SKIN: Remove contaminated clothing; wash a persists, seek medical attention.	ffected area with soap and water; launder contaminated clothing before	ore reuse; if irritation
EYES: Check for and remove contact lenses.	Flush eyes with water for 15 minutes; if irritation persists, seek medi-	cal attention.
INGESTION: Give two glasses of water for dilumedical attention.	ution; DO NOT induce vomiting; never give anything by mouth to an	unconscious person; seek
SECTI	ION 5-FIRE FIGHTING MEASURES	
FLASH POINT (METHOD USED)	FLAMMABLE LIMITS LEL: Not applicable	UEL: Not applicable
Non-flammable	AUTOIGNITION TEMPERATURE: Not determined	NFPA CLASS: None
GENERAL HAZARDS: Product is not consider hydrogen and oxygen, including carbon monox	red flammable or combustible. Products of combustion include comp vide.	pounds of carbon,
EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemic	al, chemical foam	
FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prev	vent container rupture due to steam buildup; floor will become slipper	ry if material is released.
UNUSUAL FIRE AND EXPLOSION HAZARDS None	3	
HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon.		
SECTION 6-	ENVIRONMENTAL RELEASE MEASURES	
	S RELEASED OR SPILLED: Small spills - wash to sanitary sewer wi sorbent, shovel product into approved container for disposal. Wash a public waters.	
SECT	ION 7-HANDLING AND STORAGE	
PRECAUTIONS TO BE TAKEN IN HANDLING protect from extreme temperatures. Keep this	AND STORAGE: Keep container closed when not in use; protect c and other chemicals out of reach of children.	ontainers from abuse;
		~~~~~
SECTION 8 - EXPO ENGINEERING CONTROLS	OSURE CONTROLS / PERSONAL PROTECTIC	DN
The use of local exhaust ventilation is recomme	ended. No other special controls are indicated.	
PERSONAL PROTECTION:		ulata propent in avecas of
	PE): NIOSH approved respirator designed to remove airborne partic ondary operations such as mixing, spraying, sanding, buffing, etc. R	
PROTECTIVE GLOVES: Recommended for g	eneral protection	

귀

EYE PROTECTION: Safety glasses recommended for general protection

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Safety eyewash station nearby.

WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general.

MATERIAL SAFETY DATA SHEET						
PRODUCT NAME: Royal Accent Semi-Gloss Red Bas December 15, 2007	e			Page 3 of 4		
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES						
VAPOR PRESSURE (MM Hg)						
17 mm Hg @ 20° C SPECIFIC GRAVITY (WATER = 1)		> 1 EVAPORATION RATE (WATER = 1)				
1.055		<1				
SOLUBILITY IN WATER						
Dispersible pH	32° F (0° C) APPEARANCE AND ODOR					
9.0 - 9.5		Red viscous liquid, slight ammonia odor				
BOILING POINT		PHYSICAL STATE				
214°F (101°C) VISCOSITY (KREBS)		Liquid				
100 - 110						
SECTION 10	) - STABILI	TY AND R	PEACTIVITY			
STABILITY UNSTABLE:	X	CONDITIONS				
STABLE: INCOMPATIBILITY (MATERIALS TO AVOID):	<u>x</u>	Extreme ter	mperatures, keep from freezing			
Strong oxidizers, strong acids.						
HAZARDOUS DECOMPOSITION OR BYPRODUCTS			if handled and stored properly	<ol> <li>In case of a fire, oxides</li> </ol>		
of carbon, hydrocarbons, fumes or vapors, and smoke HAZARDOUS POLYMERIZATION MAY OCCUR:	may be produce		S TO AVOID:			
WILL NOT OCCUR:	х	None				
SECTION 11-	TOXICOLO	OGICAL IN				
Hazardous Ingredients	CAS #	EINECS #	LD50 of Ingredient (Specify Species and Route)	LC50 of Ingredient (Specify Species)		
No hazardous materials present as defined by OSHA - 29 CFR 1910.1000; EPA - 40 CFR 260 - 281, 302, 355, 370, 372; DOT - 49 CFR 172; WHMIS or EC Directive 91 / 155 / EEC.						
SECTION 12		GICAL INF	ORMATION			
SECTION 12 - ECOLOGICAL INFORMATION No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant.						
SECTION 13	- DISPOSA	AL CONSIL	DERATIONS			
WASTE DISPOSAL METHOD: Dispose of in accordance with Local, State, and Federal Regulations; do not discharge into lakes, ponds, streams or public waters. Product is classified as non - hazardous, however, non-hazardous materials may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260 - 299" for complete waste disposal regulations. Consult your local, state, or Federal Environmental Protection Agency before disposing of any chemicals.						
SECTION 14 - TRANSPORT INFORMATION						
PROPER SHIPPING NAME: Non - Hazardous for Transport						
DOT HAZARD CLASS / Pack Group: Not regulated REFERENCE: Not Applicable UN / NA IDENTIFICATION NUMBER: None LABEL: None Required HAZARD SYMBOLS: None Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes,						
packaging materials and methods of shipping.						

MATERIAL SAFETY DATA SHEET						
PRODUCT NAME: Royal Accent Semi-Gloss Red Bas December 15, 2007	60		Page 4 of 4			
SECTION 15	- REGULATORY INF	ORMATION				
<ul> <li>TSCA (Toxic substance Control Act)</li> <li>All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.</li> <li>SARA TITLE III (Superfund Amendments and Reauthorization Act)</li> </ul>						
311/312 Hazard Categories None 313 Reportable Ingredients:						
None						
California Prop 65, Safe Drinking Water and Toxic Enfo There are no chemicals present known to the state o CERCLA (Comprehensive Response Compensation a None	f California to cause cancer or r	eproductive toxicity.				
<b>CPR (Canadian Controlled Products Regulations</b> This product has been classified in accordance with the information required by the Controlled Products F			OS contains all			
IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.						
DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.						
EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.						
EC Risk Phrases Not classified	SYMBOL(S) REQUIRED FOR LABEL None	EC Safety Phrases S2 Keep out of the reach of children. S24/25 Avoid contact with skin and eyes.				
SECTION	16-0THER INFOR	MATION				
No specific notes.	<u></u>	<u>. 5 </u>				
HMIS HAZARD RATINGS	HEALTH FLAMMABILITY PHYSICAL HAZARD	0 0 = INSIGNIFICANT	2 = MODERATE 3 = HIGH 4 = EXTREME			
REVISION SUMMARY:	This MSDS has been revised in the following sections: Formulation change Name change					
MSDS Prepared by:	Comprehensive Data Base, Inc. P.O. Box 395 Intercession City, FL 33848 USA (863) 644 - 3298 www.compdatabase.com or www.msds.cc					
The information contained herein is believed to be accurate to manufacturer of the product and manufacturers of the compone applicable and suited to the circumstances of use. Vendor ass reasonable safety procedures are not adhered to as stipulated in of this material even if reasonable safety procedures are follow described in Section 1.	but is not warranted to be so. Dat ints of the product. Users are adv urmes no responsibility for injury to in the data sheet. Furthermore, vend	ised to confirm in advance of need that inf vendee or third persons proximately cause or assumes no responsibility for injury caus	ormation is current, d by the material if ed by abnormal use			